


PLATAFORMA NIVELADORA DE MUELLE TIPO MINIDOCK



Cuadro de configuración Maylink para nivelador de borde de muelle:

Tamaño del nivelador de muelle:	Ancho 2000 mm x Profundidad 400 mm x Alto 400 mm
Color:	Gris RAL7016, se pueden personalizar otros colores.
Ajustar rango:	+300mm, -300mm
Placa de muelle:	Placa de acero cuadrículada de 8 mm de espesor
Placa labio:	Ancho 400 mm, espesor 12 mm, placa de acero lagrimada
Capacidad de carga:	Carga dinámica 3T, carga estática 6T, si necesita más capacidad de carga, extra Se instalará hierro empotrado en la pared.
Parachoques de muelle:	Parachoques de muelle laminado, D250 mm x An250 mm x L100 mm, 2 piezas/juego
Método de elevación:	En el interior se dispone un soporte asistido por resorte cilíndrico manual.
Garantía:	1 año

Excelente rendimiento de aislamiento:

.... Los niveladores de borde de muelle brindan una solución simple y rentable para salvar la distancia entre el muelle de carga y el camión.

.... Montados directamente en el frente del muelle, son ideales para instalaciones que manejan volúmenes de carga moderados y alturas de remolque constantes.



CERTIFICATE



No. 6K230522.SMLDS40

Certificate's
Holder:

Shanghai Maylink Logistics Equipment Co., Ltd.
1876 Chenqiao Rd., Fengxian District, Shanghai 201400, China

Certification
ECM Mark



Product:

Dock Leveler

Model(s):

Hydraulic Dock Leveler, Mechanical Dock Leveler,
Vertical Dock Leveler, Air Powered Dock Leveler,
Telescopic Dock Leveler, Edge of Dock Leveler

Verification to:

Standard:
EN 1389:2009

related to CE Directive(s):
2006/42/EC (Machinery)

This document has been issued in accordance with the European Commission's note of 14 September 2022 ref. Ares (2022) 6342894 concerning voluntary certifications with a non-notified procedure.

The manufacturer has voluntarily decided to submit its documents concerning the above-mentioned product for verification. Ente Certificazione Macchine confirms that the documentation made available and immediately returned to it, as containing sensitive data, meets the essential requirements of the above-mentioned directives. The verification activity carried out exclusively concerned the technical documentation and no verification was carried out on the product. This document cannot replace the EC Declaration of Conformity. The above conformity mark can be affixed to the technical documentation in accordance with the ECM regulation on its issue and use, published on the website www.entecerma.it

Issuance date: 22 May 2023

Expiry date: 21 May 2028

For online check:



Approver
Ente Certificazione Macchine
Legal Representative
Luca Bedonni



Ente Certificazione Macchine Srl

Via Ca' Bella, 243 - Loc. Castello di Serravalle - 40053 Valsamoggia (BO) - ITALY
☎ +39 051 6705141 📠 +39 051 6705156 ✉ info@entecerma.it 🌐 www.entecerma.it



PLATAFORMA MINIDOCK

